























- [3] R. Agrawal, S. Gollapudi, A. Halverson, and S. Ieong. Diversifying search results. In *Proceedings of the Second ACM International Conference on Web Search and Data Mining, WSDM '09*, pages 5–14, New York, NY, USA, 2009. ACM.
- [4] S. Amer-Yahia, S. Anjum, A. Ghenai, A. Siddique, S. Abbar, S. Madden, A. Marcus, and M. El-Haddad. Maqsa: a system for social analytics on news. In *SIGMOD Conference*, pages 653–656, 2012.
- [5] A. Andoni and P. Indyk. Near-optimal hashing algorithms for approximate nearest neighbor in high dimensions. *Commun. ACM*, 51(1):117–122, Jan. 2008.
- [6] A. Angel and N. Koudas. Efficient diversity-aware search. In *Proceedings of the 2011 international conference on Management of data, SIGMOD '11*, pages 781–792, New York, NY, USA, 2011. ACM.
- [7] A. Z. Broder, M. Charikar, A. M. Frieze, and M. Mitzenmacher. Min-wise independent permutations (extended abstract). In *Proceedings of the thirtieth annual ACM symposium on Theory of computing, STOC '98*, pages 327–336, New York, NY, USA, 1998. ACM.
- [8] J. Carbonell and J. Goldstein. The use of mmr, diversity-based reranking for reordering documents and producing summaries. In *Proceedings of the 21st annual international ACM SIGIR conference on Research and development in information retrieval, SIGIR '98*, pages 335–336, New York, NY, USA, 1998. ACM.
- [9] M. D. Choudhury, M. Feldman, S. Amer-Yahia, N. Golbandi, R. Lempel, and C. Yu. Automatic construction of travel itineraries using social breadcrumbs. In *HT*, pages 35–44, 2010.
- [10] T. F. Gonzalez. Clustering to minimize the maximum intercluster distance. *Theor. Comput. Sci.*, 38:293–306, 1985.
- [11] P. Indyk and R. Motwani. Approximate nearest neighbors: towards removing the curse of dimensionality. In *Proceedings of the thirtieth annual ACM symposium on Theory of computing, STOC '98*, pages 604–613, New York, NY, USA, 1998. ACM.
- [12] A. Jain, P. Sarda, and J. R. Haritsa. Providing diversity in k-nearest neighbor query results. In *PAKDD*, pages 404–413, 2004.
- [13] S. Ravi, D. Rosenkrantz, and G. Tayi. Facility dispersion problems: Heuristics and special cases. *Algorithms and Data Structures*, pages 355–366, 1991.
- [14] M. J. Welch, J. Cho, and C. Olston. Search result diversity for informational queries. In *Proceedings of the 20th international conference on World wide web, WWW '11*, pages 237–246, New York, NY, USA, 2011. ACM.
- [15] C. Yu, L. Lakshmanan, and S. Amer-Yahia. It takes variety to make a world: diversification in recommender systems. In *Proceedings of the 12th International Conference on Extending Database Technology: Advances in Database Technology, EDBT '09*, pages 368–378, New York, NY, USA, 2009. ACM.
- [16] C. Yu, L. V. S. Lakshmanan, and S. Amer-Yahia. Recommendation diversification using explanations. In *ICDE*, pages 1299–1302, 2009.
- [17] M. Zhang and N. Hurley. Avoiding monotony: improving the diversity of recommendation lists. In *Proceedings of the 2008 ACM conference on Recommender systems, RecSys '08*, pages 123–130, New York, NY, USA, 2008. ACM.
- [18] C.-N. Ziegler, S. M. McNee, J. A. Konstan, and G. Lausen. Improving recommendation lists through topic diversification. In *Proceedings of the 14th international conference on World Wide Web, WWW '05*, pages 22–32, New York, NY, USA, 2005. ACM.