[19] S. Perugini, M. A. Gonçalves, and E. A. Fox. Recommender systems research: A connection-centric survey. *J. Intell. Inf. Syst.*, 23(2):107–143, Sept. 2004.

[20] J. Pound, P. Mika, and H. Zaragoza. Ad-hoc object retrieval in the web of data. In *WWW*, pages 771–780, 2010.

[21] C. Sarasua, E. Simperl, and N. F. Noy. Crowdmap: Crowdsourcing ontology alignment with microtasks. In *ISWC*, pages 525–541, 2012.

[22] N. Seemakurty, J. Chu, L. von Ahn, and A. Tomasic. Word sense disambiguation via human computation. In *Proceedings of the ACM SIGKDD Workshop on Human Computation*, HCOMP '10, pages 60–63, New York, NY, USA, 2010. ACM.

[23] J. Selke, C. Lofi, and W.-T. Balke. Pushing the boundaries of crowd-enabled databases with query-driven schema expansion. *Proc. VLDB Endow.*, 5(6):538–549, Feb. 2012.

[24] A. Tonon, G. Demartini, and P. Cudre-Mauroux. Combining inverted indices and structured search for ad-hoc object retrieval. In *SIGIR*, pages 125–134, 2012.

[25] L. von Ahn and L. Dabbish. Designing games with a purpose. *Commun. ACM*, 51(8):58–67, Aug. 2008.

[26] L. von Ahn, R. Liu, and M. Blum. Peekaboom: a game for locating objects in images. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*, CHI '06, pages 55–64, New York, NY, USA, 2006. ACM.

[27] L. Von Ahn, B. Maurer, C. McMillen, D. Abraham, and M. Blum. recaptcha: Human-based character recognition via web security measures. *Science*, 321(5895):1465–1468, 2008.